




Fightex Damper light weight SPEC / reference model

FIGHTEX DAMPER



- One Make
- Camshaft
- Piston
- Timing Belt
- Gasket
- Ride of Dreams
- Injection
- Flywheel
- Gear Box
- Ex Manifold
- Damper
- Tuning




FIGHTTEX[®]

Motor Dream.

FIGHTTEX born into adjusted the world of Racing.

- All work done in house, Total commitment to quality.
- Ride height can be adjustment without compromising spring pre-loading or damper stroke length. (Type DA, DA-G, EX, EX-G)
- All Type ST, EX and EX-G also incorporate a 12 step adjustable system but with separate bump and rebound adjusting.
- Our STD damper design uses a 40 diam piston giving excellent overall balance of performance to size, a larger capacity 46 diam is also used. (New products are continually introduced)
- Full kit's come with pillow-ball upper mounts and remote / independent upper spring seat. (Found on both F&R dampers) ※May differ on some kits
- Full kit's use high strength pillow-balls (NMB) for the upper mount.
- Spring rates can be changed when ordering. (Where applicable)
- ID60 (internal diameter 60mm) springs.
- Individual set up requirements can be made when ordering. (Japan Only)




Standard integrated upper mount.
When standard suspension moves or rotates, the upper mount is often fixed. This can compromise the performance of both the spring and the damper. Spring performance is often compromised and excessive side loads placed on the piston rod. Both these can lead to a reduction in performance

FIGHTTEX DAMPER
Under all conditions the spring has no undue influence on the suspension geometry or steering.

Same quality, whether it's for street, GT or Formula.

We have gained a lot of experience in the racing field with the development and manufacture of formula chassis, race engines, and formula transmissions. One area that cannot be overlooked is in the design and manufacture of race dampers. With making full use of our race experience and the latest technology we have been able to deliver a commercially available damper of the highest quality. Fightex Damper production started in 1992.

With careful thought placed on design, analysis, manufacture, and inspection of all the products within the Fightex Damper series, a high precision and high quality product is assured. Fightex Dampers can also respond with new items, rebuilds and resetting quickly and efficiently. We are proud to release the Fightex Damper series with the same high quality whether it's for the street, GT or Formula.



Feeding back technology from Racing to you.

A huge amount of time and energy is spent in the Toda Racing F3 team working to get the "WIN". Setting up of an F3 machine not only requires engine development but also chassis development in particular the dampers.

An example of the performance required of a formula damper for circuit use is a piston speed of 0.05m/s and a stroke length of 5mm. (Average road car: piston speed 0.3m/s, stroke length of 100mm).

Therefore the quality of each part is critical, not just in the design, or the accuracy in the manufacturing but also in the selection of material, and the type of heat treatment used. A formula car is a very stiff car allowing comparative tests to be undertaken to show the performance of things such as the dampers. To help gain consistency pillow-balls as used thought. All this technology and racing experience are constantly being feed back to you through the Fightex Damper series.

FIGHTTEX[®]

F3 DAMPER

FIGHTTEX [®] Motor Dream.	
FIGHTTEX DAMPER SERIES	
Type FS	Fine Sports
Type ST	Separate Tank
Type DA	Dual Adjust
Type DA-G	Dual Adjust for Gymkhana
Type EX	Expert
Type EX-G	Expert for Gymkhana
Type N1	for N1 Race




Fightex damper testing at Okayama International Circuit.



Whether it's for the street, GT or Formula, the same quality (Hand made) is found in all our Fightex dampers.

S2000 FRONT DAMPER
Type EX



7 types of damper designed for all tastes.
Adjustable Damping in Twelve easy steps.

(Type ST, EX, EX-G : Comes with independent bump and rebound adjustability.)

The standard Fightex Damper.


Type FS *Fine Sports*



The fundamental parameters, such as comfort and stability were perused so that both impressive handling could be met along with retaining the comfort that is required for street use. The FS has acquired a large amount of data and know-how from feedback from various fields.

Separate Tank type. Based on the FS type, but with independent bump and rebound 12 step tuning. Giving a wider range of adjustment.

Type ST *Separate Tank*



Generally called piggy-back type or remote tank type. Featuring independent bump and rebound adjustment not found on the FS type. Precise adjustment is the main advantage of the separate tank type. Maintenance is also easier.



Adjustable bottom brackets. The dual adjustable type allows quick and easy adjustment of the total length.

Type DA *Dual Adjust*



The total length of the damper can be tuned via the bottom bracket. The car ride height can be adjusted without touching the spring pre-load. Helping to find the delicate balance of traction and grip, through the various independent parameters of ride height, spring pre load and rebound stroke lengths.

Dual Adjustment Gymkhana spec.

Type DA-G *Dual Adjust for Gymkhana*




Designed for Gymkhana use only. 12 step damping force adjustment + full length adjustment. Designed for all the forms of Gymkhana found in Japan, the DA-G allows the car to be set up for the various conditions found at the track such as weather and track surface. Drivers in the all Japan championship use the adjustability to continually test and fine tune to find that winning advantage. The adjustability also allows you to continually get the best out of the latest tire compounds.

Leak tester



The ultimate performer, incorporating advantages of both the ST and DA types.

Type EX *Expert*



Featuring independent bump and rebound 12 step tuning along with adjustable bottom bracket for full length adjustment independent of spring preload. For the ultimate performance.

Expert Gymkhana. For Gymkhana only.

Type EX-G *Expert for Gymkhana*



All the features of the EX, but designed specifically for the Gymkhana course.

N1 Race exclusively designed for the circuit.

Type N1 *for N1 Race*



Designed to make the most out of the racing tire and the racing circuit conditions for maximum performance. Not suitable for anything other than a racing circuit.

SW20 MR2

SW20 (MR2)
FIGHTEX DAMPER KIT
¥276,000(1set)

Type **FS**



■51500-SW2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-160-R:11K-200

SW20 (MR2)
FIGHTEX DAMPER KIT
¥398,000(1set)

Type **EX**

■51540-SW2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-160-R:11K-200

SW20 (MR2)
FIGHTEX DAMPER KIT
¥398,000(1set)

Type **EX-G**

■51550-SW2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:6K-160-R:10K-200

ZZW30 MRS

ZZW30 (MRS)
FIGHTEX DAMPER KIT
¥294,000(1set)

Type **DA**

■51520-ZW3-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:4K-200-R:7K-200

AW11 MR2

AW11 (MRS)
FIGHTEX DAMPER KIT
¥282,000(1set)

Type **FS**



■51500-AW1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:5K-200-R:10K-160

SXE10 ALTEZZA

SXE10 (ALTEZZA)
FIGHTEX DAMPER KIT
¥248,000(1set)

Type **DA**



■51520-XE1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200-R:9K-200
*When the standard rear upper mount is used, 160mm length springs are required.

SW20 (MR2)
FIGHTEX DAMPER KIT
¥308,000(1set)

Type **DA-G**



■51530-SW2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:6K-160-R:10K-200

SW20 (MR2)
FIGHTEX DAMPER KIT
¥288,000(1set)

Type **DA**

■51520-SW2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-160-R:11K-200

JZX90 /91/100

JZX90/91/100 (MARK II/CHASER/CRESTA)
FIGHTEX DAMPER KIT
¥248,000(1set)

Type **FS**



■51500-X90-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200-R:6K-200

MZ20 /MA70/JZA70

MZ20/MA70/JZA70 (SOARER/SUPRA)
FIGHTEX DAMPER KIT
¥248,000(1set)

Type **FS**



■51500-A70-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:14K-200-R:8K-200

AE86 LEVIN/TRUENO

AE86 (LEVIN/TRUENO)
FIGHTEX DAMPER KIT
¥290,500(1set)

Type **N1**

■51560-AE8-000
Damper+F-spring+F-pillow-ball upper mount
Supplied spring rate F:10K-200 R:Not available

Upside down design/12 steps dial
※With -2 deg camber
※New stub-axel assembly used



AE86 (LEVIN/TRUENO)
FIGHTEX DAMPER KIT
¥270,500(1set)

Type **FS**

■51500-AE8-000
Damper+F-spring+F-pillow-ball upper mount
Supplied spring rate F:8K-200-R:Not available

Upside down design/12 steps dial
※New stub-axel assembly used



AE92 /101/111

AE92/101/111 (LEVIN/TRUENO)
FIGHTEX DAMPER KIT
¥282,000(1set)

Type **FS**



■51500-AE1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:8K-200-R:6K-200

EP82/91 STARLET

EP82/91 (STARLET)
FIGHTEX DAMPER KIT
¥213,000(1set)

Type **FS**



■51501-EP8-000
Damper+Spring
Supplied spring rate F:6K-160-R:4K-160

ZZE122 COROLLA FIELDER

ZZE122 (COROLLA FIELDER)
FIGHTEX DAMPER KIT
¥288,000(1set)

Type **DA**



■51520-ZZE-000
Damper+Spring+F-pillow-ball upper mount
Supplied spring rate F:7K-200-R:4K-200

■ Spring rate can be changed at the time of order. (A price is the same) Spring rate **kgf/mm** (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Damper Price List

Name	model	Type	Part No			Installation condition		A Type		F/R Standard design	
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/upper Mount)	Supplied spring rate	C Type	F	R	Note	
TOYOTA											
LEVIN/TRUENO	AE92/101/111	FS	¥208,000	51502-AE1-000 ¥232,000	51501-AE1-000 ¥282,000	51500-AE1-000	8K-200	6K-200	※3	R helper springs	C
	AE86	FS	¥236,500	51502-AE8-000 ¥245,500	51501-AE8-000 ¥270,500	51500-AE8-000	8K-200	not available	※2		B
N1		¥256,500	51562-AE8-000 ¥265,500	51561-AE8-000 ¥290,500	51560-AE8-000	10K-200	not available	※2 ※7 ※8		B	
MR2		SW20	FS	¥208,000	51502-SW2-000 ¥226,000	51501-SW2-000 ¥276,000	51500-SW2-000	7K-160	11K-200		
	DA	¥220,000	51522-SW2-000 ¥238,000	51521-SW2-000 ¥288,000	51520-SW2-000	7K-160	11K-200			C	
	DA-G	¥240,000	51532-SW2-000 ¥258,000	51531-SW2-000 ¥308,000	51530-SW2-000	6K-160	10K-200			C	
	EX	—	—	—	¥398,000	51540-SW2-000	7K-160	11K-200			C
	EX-G	—	—	—	¥398,000	51550-SW2-000	6K-160	10K-200			C
MRS	AW11	FS	¥208,000	51502-AW1-000 ¥232,000	51501-AW1-000 ¥282,000	51500-AW1-000	5K-200	10K-160	R helper springs		C
STARLET	EP82/91	FS	¥183,000	51502-EP8-000 ¥213,000	51501-EP8-000	not available	6K-160	4K-160	※1		B
SOARER/SUPRA	MZ20/MA70/JZA70	FS	¥168,000	51502-A70-000 ¥198,000	51501-A70-000 ¥248,000	51500-A70-000	14K-200	8K-200	※1		A
MARK II/CHASER/CRESTA	JZX90/91/100	FS	¥168,000	51502-X90-000 ¥198,000	51501-X90-000 ¥248,000	51500-X90-000	10K-200	6K-200	※1		A
ALTEZZA	SXE10	DA	¥180,000	51522-XE1-000 ¥198,000	51521-XE1-000 ¥248,000	51520-XE1-000	12K-200	9K-200	※4		A
COROLLA FIELDER	ZZE122	DA	¥245,000	51522-ZZE-000 ¥263,000	51521-ZZE-000 ¥288,000	51520-ZZE-000	7K-200	4K-200	※15		B

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.
● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided
※ 1 with helper spring. ※ 2 No helper spring. New king-pin assembly. Adjustable damping with easy to use 12 position dial. Rear pillow-ball upper mounts & springs are not available. ※ 3 Only available for standard strut type (Can not be installed to Super strut type). ※ 4 When the standard rear upper mount is used, length 160mm long springs are required. ※ 7 N1 race can't use pillow ball upper mount by the competition regulation. ※ 8 AE86 Type N-1 strut comes with 2 deg of negative camber. (-2°). ※ 15 Rear dampers have no adjustable bracket for ride height control. Rear damper design has independent bump and rebound with separate tank design. Original upper mount required.

BNR32 GT-R

BNR32 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥242,000 (1 set) **Type FS**



■ 51500-NR2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:9K-200•R:8K-200

BNR32 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥342,000 (1 set) **Type ST**

■ 51510-NR2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:9K-200•R:8K-200

BCNR33 GT-R

BCNR33 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥236,000 (1 set) **Type FS**



■ 51500-NR3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:12K-200•R:10K-200

BCNR33 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥336,000 (1 set) **Type ST**

■ 51510-NR3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:12K-200•R:10K-200

BNR34 GT-R

BNR34 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥236,000 (1 set) **Type FS**



■ 51500-NR4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:12K-200•R:10K-200

BNR34 (SKYLINE GT-R)
FIGHTEX DAMPER KIT
¥336,000 (1 set) **Type ST**

■ 51510-NR4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:12K-200•R:10K-200

HCR32 GT-S

HCR32 (SKYLINE GT-S)
FIGHTEX DAMPER KIT
¥248,000 (1 set) **Type FS**



■ 51500-CR2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F/R ¥32,000)
Supplied spring rate F:8K-160•R:6K-200

HCR32 (SKYLINE GT-S)
FIGHTEX DAMPER KIT
¥348,000 (1 set) **Type ST**

■ 51510-CR2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F/R ¥32,000)
Supplied spring rate F:8K-160•R:6K-200

ECR33 GT-S

ECR33 (SKYLINE GT-S)
FIGHTEX DAMPER KIT
¥248,000 (1 set) **Type FS**



■ 51500-CR3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F/R ¥32,000)
Supplied spring rate F:8K-200•R:6K-200
※ Pillow-ball bush is optional.

ECR33 (SKYLINE GT-S)
FIGHTEX DAMPER KIT
¥348,000 (1 set) **Type ST**

■ 51510-CR3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F/R ¥32,000)
Supplied spring rate F:8K-200•R:6K-200

WGNC34 STAGEA

WGNC34 (STAGEA)
FIGHTEX DAMPER KIT
¥248,000 (1 set) **Type FS**



■ 51500-W34-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F/R ¥32,000)
Supplied spring rate F:10K-160•R:10K-200
*AUTECH Version is available.
(The price & spring rate is the same as BCNR33 spec.)

AK12 March

AK12 (MARCH)
FIGHTEX DAMPER KIT
¥278,000 (1 set) **Type DA**

■ 51520-AK2-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-160•R:6K-140

S13 SILVIA/180SX

S13/PS13/CA31 (SILVIA•180SX•CEFIRO)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■ 51500-S13-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:7K-160•R:6K-200

S14 SILVIA

S14 (SILVIA)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■ 51500-S14-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:8K-200•R:6K-200

S15 SILVIA

S15 (SILVIA)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■ 51500-S15-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥16,000)
Supplied spring rate F:8K-200•R:6K-200



OPTION
Pillow-ball BUSH

Damper Price List

■ Spring rate can be changed at the time of order. (A price is the same) Spring rate kgf/mm (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Part No.			After the damper P/NO-PBO	Installation condition	A Type F/R Standard design					
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/Upper Mount)			With pillow-ball bush additional price for 1 SET	Supplied spring rate	Note			
			Part No.	Part No.	Part No.		F	R					
NISSAN													
SILVIA/180SX/CEFIRO	S13/PS13/CA31	FS	¥183,000	51502-S13-000	¥213,000	51501-S13-000	¥263,000	51500-S13-000	R¥16,000	7K-160	6K-200	※1	B
SILVIA	S14	FS	¥183,000	51502-S14-000	¥213,000	51501-S14-000	¥263,000	51500-S14-000	R¥16,000	8K-200	6K-200	※1	B
	S15	FS	¥183,000	51502-S15-000	¥213,000	51501-S15-000	¥263,000	51500-S15-000	R¥16,000	8K-200	6K-200	※1	B
SKYLINE GT-S	HCR32	FS	¥168,000	51502-CR2-000	¥198,000	51501-CR2-000	¥248,000	51500-CR2-000	FR¥32,000	8K-160	6K-200	※1	A
		ST	¥268,000	51512-CR2-000	¥298,000	51511-CR2-000	¥348,000	51510-CR2-000	FR¥32,000	8K-160	6K-200	※1	A
	ECR33	FS	¥168,000	51502-CR3-000	¥198,000	51501-CR3-000	¥248,000	51500-CR3-000	FR¥32,000	8K-200	6K-200	※1	A
SKYLINE GT-R	BNR32	FS	¥168,000	51502-NR2-000	¥192,000	51501-NR2-000	¥242,000	51500-NR2-000	F¥16,000	9K-200	8K-200		A
		ST	¥268,000	51512-NR2-000	¥292,000	51511-NR2-000	¥342,000	51510-NR2-000	F¥16,000	9K-200	8K-200		A
	BCNR33	FS	¥168,000	51502-NR3-000	¥186,000	51501-NR3-000	¥236,000	51500-NR3-000	F¥16,000	12K-200	10K-200		A
		ST	¥268,000	51512-NR3-000	¥286,000	51511-NR3-000	¥336,000	51510-NR3-000	F¥16,000	12K-200	10K-200		A
	BNR34	FS	¥168,000	51502-NR4-000	¥186,000	51501-NR4-000	¥236,000	51500-NR4-000	F¥16,000	12K-200	10K-200		A
		ST	¥268,000	51512-NR4-000	¥286,000	51511-NR4-000	¥336,000	51510-NR4-000	F¥16,000	12K-200	10K-200		A
STAGEA	WGNC34	FS	¥168,000	51502-W34-000	¥198,000	51501-W34-000	¥248,000	51500-W34-000	FR¥32,000	10K-160	10K-200	※1 ※5	A
MARCH	AK12	DA	¥235,000	51522-AK2-000	¥253,000	51521-AK2-000	¥278,000	51520-AK2-000	-	7K-160	6K-140	※6 ※13	B

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.
● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided ※1 with helper spring. ※ 5 AUTECH Version is available. ※ 6 The car height adjustment unit & spring seat are included for rear spring . ※ 13 Rear spring ID : 70.

EF9/8 CIVIC/CR-X

EF9/3/7/8 (CIVIC-CR-X)
FIGHTEX DAMPER KIT
¥238,000 (1 set) **Type DA**

- 51520-EF9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:6K-200

EG6/2 CIVIC/CR-X

EG6/2/8/9 (CIVIC-CR-X)
FIGHTEX DAMPER KIT
¥238,000 (1 set) **Type FS**



- 51500-EG6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:6K-160

EK9 CIVIC typeR

EK4/9 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥238,000 (1 set) **Type FS**



- 51500-EK9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-160•R:8K-160

EK4/9 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥338,000 (1 set) **Type ST**



- 51510-EK9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-160•R:8K-160

EG6 CIVIC

EG6 (CIVIC)
FIGHTEX DAMPER KIT
¥258,000 (1 set) **Type N1**

- 51560-EG6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:20K-160•R:18K-160

EG6/2/8/9 (CIVIC-CR-X)
FIGHTEX DAMPER KIT
¥338,000 (1 set) **Type ST**



- 51510-EG6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:6K-160

EK4/9 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥238,000 (1 set) **Type DA**



- 51520-EK9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-160•R:8K-200

EK4/9 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥258,000 (1 set) **Type DA-G**



- 51530-EK9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:20K-160•R:7K-200



EG6/2/8/9 (CIVIC-CR-X)
FIGHTEX DAMPER KIT
¥238,000 (1 set) **Type DA**

- 51520-EG6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:6K-200

EG6/2/8/9 (CIVIC-CR-X)
FIGHTEX DAMPER KIT
¥258,000 (1 set) **Type DA-G**

- 51530-EG6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:18K-160•R:8K-200

EK4/9 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥258,000 (1 set) **Type N1**



- 51560-EK9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:20K-160•R:18K-160



EP3 CIVIC typeR

EP3 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥310,000 (1 set) **Type DA**



- 51520-EP3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:12K-160

FD2 CIVIC typeR

FD2 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥278,000 (1 set) **Type DA**



- 51520-FD2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Option : Spring seat spacer ID70 20mm up
(FD2:Rear/AK12rear) ¥6,500/each) 51415-070-048-20
Supplied spring rate F:10K-200•R:10K-140(ID 70mm)



Green Chromate

Green Chromate surface treatment is used on the outer cases and the front bottom brackets. Has at least twice the resistance to corrosion than that of other companies plating techniques. Please ask about any Fightex Damper in the range which can also be ordered with this option. (Reference: Overhaul and/or change of specification price list P157)

EP3 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥430,000 (1 set) **Type EX**



- 51540-EP3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:12K-160

FD2 (CIVIC TypeR)
FIGHTEX DAMPER KIT
¥422,000 (1 set) **Type EX**



- 51540-FD2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:10K-140 (ID 70mm)



OPTION Pillow-ball BUSH

Damper Price List
 ■ Spring rate can be changed at the time of order. (A price is the same) Spring rate kgf/mm (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
 ■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Part No.			After the damper P/NO-PBO	Installation condition	Supplied spring rate		A Type F/R Standard design B Type F Up side down design R Standard design C Type F/R Up side down design			
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/upper Mount)			F	R		Note		
HONDA													
CIVIC/CR-X	EF9/3/7/8	DA	¥170,000	51522-EF9-000	¥188,000	51521-EF9-000	¥238,000	51520-EF9-000	R¥10,000	8K-160	6K-200		A
	EG6/2/8/9	FS	¥158,000	51502-EG6-000	¥188,000	51501-EG6-000	¥238,000	51500-EG6-000	R¥10,000	8K-160	6K-160	※1	A
		ST	¥258,000	51512-EG6-000	¥288,000	51511-EG6-000	¥338,000	51510-EG6-000	R¥10,000	8K-160	6K-160	※1	A
		DA	¥170,000	51522-EG6-000	¥188,000	51521-EG6-000	¥238,000	51520-EG6-000	R¥10,000	8K-160	6K-200		A
	DA-G	¥190,000	51532-EG6-000	¥208,000	51531-EG6-000	¥258,000	51530-EG6-000	R¥10,000	18K-160	8K-200		A	
CIVIC	EG6	N1	¥190,000	51562-EG6-000	¥208,000	51561-EG6-000	¥258,000	51560-EG6-000	R¥10,000	20K-160	18K-160	※7	A
CIVIC TypeR	EK4/9	FS	¥158,000	51502-EK9-000	¥188,000	51501-EK9-000	¥238,000	51500-EK9-000	—	10K-160	8K-160	※1	A
		ST	¥258,000	51512-EK9-000	¥288,000	51511-EK9-000	¥338,000	51510-EK9-000	—	10K-160	8K-160	※1	A
		DA	¥170,000	51522-EK9-000	¥188,000	51521-EK9-000	¥238,000	51520-EK9-000	—	10K-160	8K-200		A
		DA-G	¥190,000	51532-EK9-000	¥208,000	51531-EK9-000	¥258,000	51530-EK9-000	—	20K-160	7K-200		A
		N1	¥190,000	51562-EK9-000	¥208,000	51561-EK9-000	¥258,000	51560-EK9-000	—	20K-160	18K-160	※7	A
	EP3	DA	¥215,000	51522-EP3-000	¥239,000	51521-EP3-000	¥310,000	51520-EP3-000	R¥10,000	8K-160	12K-160	F helper spring	B
		EX	—	—	—	—	—	—	—	R¥10,000	8K-160	12K-160	F helper spring ※9
	FD2	DA	¥235,000	51522-FD2-000	¥253,000	51521-FD2-000	¥278,000	51520-FD2-000	R¥10,000	10K-200	10K-140	※10 ※13 ※16	B
		EX	—	—	—	—	—	—	—	¥422,000	10K-200	10K-140	※10 ※13 ※16

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.

● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided
 ※1 With helper spring. ※7 N1 race can't use pillow ball upper mount by the competition regulation. ※9 Rear dampers have no adjustable bracket for ride height control. ※10 Require modification to the rear spring seat rubber. ※13 Rear springs ID : 70. ※16 The car height adjustment unit is included for rear spring position.

DC5 INTEGRA typeR

DC5 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥310,000(1set)

Type DA



■51520-DC5-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:12K-160

Green Chromate

Green Chromate surface treatment is used on the outer cases and the front bottom brackets. Has at least twice the resistance to corrosion than that of other companies plating techniques. Please ask about any Fightex Damper in the range which can also be ordered with this option. (Reference: Overhaul and/or change of specification price list P157)

DC5 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥324,000(1set)

Type DA-G

■51530-DC5-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:16K-160•R:16K-160

DC5 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥430,000(1set)

Type EX



■51540-DC5-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:12K-160



DC2/DB8 INTEGRA typeR

DC2/DB8 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥238,000(1set)

Type FS



■51500-DC2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-160•R:8K-160

DC2/DB8 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥338,000(1set)

Type ST



■51510-DC2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-160•R:8K-160

DC2/DB8 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥238,000(1set)

Type DA



■51520-DC2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-160•R:8K-200

DC2/DB8 (INTEGRA TypeR)
FIGHTEX DAMPER KIT
¥258,000(1set)

Type DA-G


■51530-DC2-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:20K-160•R:8K-200

AP1/2 S2000

AP1/2 (S2000)
FIGHTEX DAMPER KIT
¥254,000(1set)

Type DA

■51520-AP1-000
Damper+Spring
+Pillow-ball upper mount
Supplied spring rate
F:10K-200•R:10K-160



AP1/2 (S2000)
FIGHTEX DAMPER KIT
¥274,000(1set)

Type DA-G

■51530-AP1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:14K-200•R:14K-160

AP1/2 (S2000)
FIGHTEX DAMPER KIT
¥368,000(1set)

Type EX



■51540-AP1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:12K-160

NA1/2 NSX

NA1/2 (NSX)
FIGHTEX DAMPER KIT
¥278,000(1set)

Type DA



■51520-NA1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-160•R:10K-160



OPTION
Pillow-ball BUSH

Damper Price List

■ Spring rate can be changed at the time of order. (A price is the same) Spring rate **kgf/mm** (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Price(Damper only)			Price(Damper + Spring)			Price(Damper+Spring+P/upper Mount)			After the damper P/NO-PBO	Installation condition	A Type F/R Standard design		
			Part No.	Price	Part No.	Price	Part No.	Price	Part No.	Price	F			R	Note	
HONDA																
INTEGRA TypeR	DC2/DB8	FS	¥158,000	51502-DC2-000	¥188,000	51501-DC2-000	¥238,000	51500-DC2-000	¥10,000	10K-160	8K-160	※1	A			
		ST	¥258,000	51512-DC2-000	¥288,000	51511-DC2-000	¥338,000	51510-DC2-000	¥10,000	10K-160	8K-160	※1	A			
		DA	¥170,000	51522-DC2-000	¥188,000	51521-DC2-000	¥238,000	51520-DC2-000	¥10,000	10K-160	8K-200		A			
	DA-G	¥190,000	51532-DC2-000	¥208,000	51531-DC2-000	¥258,000	51530-DC2-000	¥10,000	20K-160	8K-200		A				
	DC5	DA	¥215,000	51522-DC5-000	¥239,000	51521-DC5-000	¥310,000	51520-DC5-000	¥10,000	8K-160	12K-160	F helper spring ※11	B			
		DA-G	¥235,000	51532-DC5-000	¥253,000	51531-DC5-000	¥324,000	51530-DC5-000	¥10,000	16K-160	16K-160	※11	B			
		EX	—	—	—	—	¥430,000	51540-DC5-000	¥10,000	8K-160	12K-160	F helper spring ※9	B			
NSX	NA1/2	DA	—	—	—	—	¥278,000	51520-NA1-000	—	12K-160	10K-160		A			
S2000	AP1/2	DA	¥180,000	51522-AP1-000	¥204,000	51521-AP1-000	¥254,000	51520-AP1-000	—	10K-200	10K-160	R helper spring	A			
		DA-G	¥200,000	51532-AP1-000	¥224,000	51531-AP1-000	¥274,000	51530-AP1-000	—	14K-200	14K-160	R helper spring	A			
		EX	¥300,000	51542-AP1-000	¥318,000	51541-AP1-000	¥368,000	51540-AP1-000	—	12K-200	12K-160		A			

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.

● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided ※1 With helper spring. ※9 Rear dampers have no adjustable bracket for ride height adjustment. ※11 When rear standard upper mount is used, upper shaft needs to be replaced.

CL7 Accord EuroR

CL7 (ACCORD Euro-R)
FIGHTEX DAMPER KIT
¥248,000(1set) **Type DA**



■51520-CL7-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:8K-200-R:6K-200

CL1 Accord EuroR


CL1 (ACCORD Euro-R)
FIGHTEX DAMPER KIT
¥248,000(1set) **Type DA**



■51520-CL1-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:14K-200-R:6K-200

CE1/CF2 Accord Wagon

CE1/CF2 (ACCORD WAGON)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-CE1-000
Damper+Spring
Supplied spring rate F:10K-160-R:6K-160

CF6/7 Accord Wagon

CF6/CF7 (ACCORD WAGON)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-CF6-000
Damper+Spring
Supplied spring rate F:10K-200-R:6K-200

BB1/4 Prelude


BB1/4 (PRELUDE)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-BB4-000
Damper+Spring
Supplied spring rate F:8K-200-R:4K-200

BB5/6 Prelude

BB5/6 (PRELUDE)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-BB6-000
Damper+Spring
Supplied spring rate F:8K-160-R:4K-200

RH1/2 S-MX

RH1/2 (S-MX)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-RH1-000
Damper+Spring
Supplied spring rate F:9K-200-R:7K-160
(R: Upper unit & lower seat for the car height adjustment are attached.)

GD3 Fit

GD3(Fit)
FIGHTEX DAMPER KIT
¥253,000(1set) **Type DA**



■51521-GD3-000
Damper+Spring
Supplied spring rate F:7K-160-R:7K-160
(R: Lower unit for the car height adjustment are attached.)

RF1/2 Stepwgn

RF1/2 (STEPWGN)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-RF1-000
Damper+Spring
Supplied spring rate F:10K-200-R:9K-200
(R: Upper unit & lower seat for the car height adjustment are attached.)

RA1/3 ODYSSEY

RA1/3 (ODYSSEY)
FIGHTEX DAMPER KIT
¥192,000(1set) **Type FS**



■51501-RA1-000
Damper+Spring
Supplied spring rate F:12K-200-R:12K-160
(R: Upper unit & lower seat for the car height adjustment are attached.)

RA2 ODYSSEY 4WD

RA2 (ODYSSEY 4WD)
FIGHTEX DAMPER KIT
¥202,000(1set) **Type FS**



■51501-RA2-000
Damper+Spring
Supplied spring rate F:12K-200-R:12K-160
(R: Upper unit & lower seat for the car height adjustment are attached.)

Damper Price List
■ Spring rate can be changed at the time of order. (A price is the same) Spring rate kgf/mm (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Part No.			After the damper P/NO-PBO	Installation condition	Supplied spring rate		Note		
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/Upper Mount)			F	R			
HONDA												
ACCORD WAGON	CE1/CF2	FS	¥168,000	51502-CE1-000	¥192,000	51501-CE1-000	Not available	—	—	10K-160 6K-160	R helper spring	A
	CF6/7	FS	¥168,000	51502-CF6-000	¥192,000	51501-CF6-000	Not available	—	—	10K-200 6K-200	R helper spring	A
ACCORD EuroR TypeS	CL1	DA	¥180,000	51522-CL1-000	¥198,000	51521-CL1-000	¥248,000	51520-CL1-000	—	14K-200 6K-200	—	A
	CL7/9	DA	¥180,000	51522-CL7-000	¥198,000	51521-CL7-000	¥248,000	51520-CL7-000	—	8K-200 6K-200	※12	A
PRELUDE	BB1/4	FS	¥168,000	51502-BB4-000	¥192,000	51501-BB4-000	Not available	—	—	8K-200 4K-200	R40mm Spacer	A
	BB5/6	FS	¥168,000	51502-BB6-000	¥192,000	51501-BB6-000	Not available	—	—	8K-160 4K-200	R40mm Spacer	A
STEPWGN	RF1/2	FS	¥168,000	51502-RF1-000	¥192,000	51501-RF1-000	Not available	—	—	10K-200 9K-200	※6 F helper spring	B
ODYSSEY	RA1/3	FS	¥168,000	51502-RA1-000	¥192,000	51501-RA1-000	Not available	—	—	12K-200 12K-160	※6 F helper spring	A
ODYSSEY (4WD)	RA2	FS	¥178,000	51502-RA2-000	¥202,000	51501-RA2-000	Not available	—	—	12K-200 12K-160	※6 F helper spring	A
S-MX	RH1/2	FS	¥168,000	51502-RH1-000	¥192,000	51501-RH1-000	Not available	—	—	9K-200 7K-160	※6 F helper spring	B
Fit	GD3	DA	¥235,000	51522-GD3-000	¥253,000	51521-GD3-000	Not available	—	—	7K-160 7K-160	※10 ※14 ※16	B

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.
● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided.
※6 The car height adjustment unit & spring seat are included for rear spring. ※10 Require modification for rear spring rubber. ※12 It can not be used with the auto-levelizer unit. ※14 Not available for GD3-150/160(LA-GD3). ※16 The car height adjustment unit is included for the rear spring.

NA6CE/NA8C ROADSTER

NA6CE/NA8C (ROADSTER)
FIGHTEX DAMPER KIT
¥238,000 (1 set)

Type **FS**



■ 51500-NA6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F&R ¥20,000)
Supplied spring rate F:6K-160•R:4K-160

※Pillow-ball bush is optional.

NB6C/NB8C ROADSTER

NB6C/NB8C (ROADSTER)
FIGHTEX DAMPER KIT
¥232,000 (1 set)

Type **FS**

■ 51500-NB6-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F&R ¥20,000)
Supplied spring rate F:7K-160•R:7K-200



FC3S RX7

FC3S (RX7)
FIGHTEX DAMPER KIT
¥263,000 (1 set)

Type **FS**



■ 51500-FC3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥16,000)
Supplied spring rate F:8K-200•R:6K-200

FD3S RX7

FD3S (RX7)
FIGHTEX DAMPER KIT
¥246,000 (1 set)

Type **FS**

■ 51500-FD3-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:16K-200•R:14K-200

FD3S (RX7)
FIGHTEX DAMPER KIT
¥268,000 (1 set)

Type **DA-G**

■ 51530-FD3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥10,000)
Supplied spring rate F:16K-200•R:16K-200

FD3S (RX7)
FIGHTEX DAMPER KIT
¥248,000 (1 set)

Type **DA**



■ 51520-FD3-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (F ¥10,000)
Supplied spring rate F:16K-200•R:14K-200

NCEC ROADSTER

NCEC (ROADSTER)
FIGHTEX DAMPER KIT
¥223,000 (1 set)

Type **DA**



■ 51520-NCE-000
Damper+Spring+Front pillow-ball upper mount
Supplied spring rate F:7K-200•R:5K-160 (ID75mm)
※Rear upper mount : The standard one is used.
※Rear spring is ID75 (optional rate 4K/5K/6K)



GG3S ATENZA

GG3S (ATENZA)
FIGHTEX DAMPER KIT
¥291,000 (1 set)

Type **DA**



■ 51520-GG3-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:12K-180 (ID 75mm)

※Rear spring is ID75 (Spring rate can not be changed.)
※Rear upper unit & lower seat for the car height adjustment are attached.
※Rear damper has the pillow-ball ends for both side.
※Rear standard bump rubber is required to cut off one step for a stroke clearance.

Damper Price List

■ Spring rate can be changed at the time of order. (A price is the same) Spring rate **kgf/mm** (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Part No.			After the damper P/NO-P/BO	Installation condition			A Type F/R Standard design B Type F Up side down design R Standard design C Type F/R Up side down design			
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/upper Mount)		With pillow-ball bush additional price for 1 SET	Supplied spring rate	Note				
MAZDA													
RX7	FC3S	FS	¥183,000	51502-FC3-000	¥213,000	51501-FC3-000	¥263,000	51500-FC3-000	RY16,000	8K-200	6K-200	※1	B
		FD3S	¥178,000	51502-FD3-000	¥196,000	51501-FD3-000	¥246,000	51500-FD3-000	—	16K-200	14K-200		A
		DA	¥180,000	51522-FD3-000	¥198,000	51521-FD3-000	¥248,000	51520-FD3-000	F¥10,000	16K-200	14K-200		A
		DA-G	¥200,000	51532-FD3-000	¥218,000	51531-FD3-000	¥268,000	51530-FD3-000	F¥10,000	16K-200	16K-200		A
ROADSTER	NA6CE/NA8C	FS	¥158,000	51502-NA6-000	¥188,000	51501-NA6-000	¥238,000	51500-NA6-000	FR¥20,000	6K-160	4K-160	※1	A
	NB6C/NB8C	FS	¥158,000	51502-NB6-000	¥182,000	51501-NB6-000	¥232,000	51500-NB6-000	FR¥20,000	7K-160	7K-200	F helper springs	A
	NCEC	DA	¥180,000	51522-NCE-000	¥198,000	51521-NCE-000	¥223,000	51520-NCE-000	—	7K-200	5K-160 (ID75)		A
ATENZA	GG3S	DA	¥248,000	51522-GG3-000	¥266,000	51521-GG3-000	¥291,000	51520-GG3-000	—	12K-200	12K-180 (ID75)	※6	A

●Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.
●Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided
※1 With helper spring. ※6 The car height adjustment unit & spring seat are included for rear spring.

GC8 IMPREZA

GC8 (IMPREZA)
FIGHTEX DAMPER KIT
¥288,000 (1 set) **Type FS**



■ 51500-GC8-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-160

GC8 (IMPREZA)
FIGHTEX DAMPER KIT
¥398,000 (1 set) **Type EX-G**



■ 51550-GC8-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:9K-200•R:8K-160

GC8 (IMPREZA)
FIGHTEX DAMPER KIT
¥288,000 (1 set) **Type DA**



■ 51520-GC8-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200

GC8 (IMPREZA)
FIGHTEX DAMPER KIT
¥308,000 (1 set) **Type DA-G**



■ 51530-GC8-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:9K-200•R:8K-160

GC8 (IMPREZA)
FIGHTEX DAMPER KIT
¥398,000 (1 set) **Type EX**

■ 51540-GC8-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200

GDB IMPREZA

GDB (IMPREZA)
FIGHTEX DAMPER KIT
¥288,000 (1 set) **Type DA**

■ 51520-GDB-000 (-A/B/C/D)
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:8K-200•R:5K-200



■ 51520-GDB-200 (-E/F)
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:8K-200•R:5K-200

GDB (IMPREZA)
FIGHTEX DAMPER KIT
¥308,000 (1 set) **Type DA-G**

■ 51530-GDB-000 (-A/B/C/D)
■ 51530-GDB-200 (-E/F)
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:9K-200

GDB (IMPREZA)
FIGHTEX DAMPER KIT
¥398,000 (1 set) **Type EX**

■ 51540-GDB-000 (-A/B/C/D)
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:8K-200•R:5K-200

GDB (IMPREZA)
FIGHTEX DAMPER KIT
¥398,000 (1 set) **Type EX-G**

■ 51550-GDB-000 (-A/B/C/D)
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:9K-200

Green Chromate

Green Chromate surface treatment is used on the outer cases and the front bottom brackets. Has at least twice the resistance to corrosion than that of other companies plating techniques. Please ask about any Fightex Damper in the range which can also be ordered with this option. (Reference: Overhaul and/or change of specification price list P157)

BG5/BD5 LEGACY

BG5/BD5 (LEGACY)
FIGHTEX DAMPER KIT
¥288,000 (1 set) **Type FS**

■ 51500-BG5-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-200•R:5K-160



BG5/BD5 (LEGACY)
FIGHTEX DAMPER KIT
¥288,000 (1 set) **Type DA**

■ 51520-BG5-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-200•R:5K-200

BG5/BD5 (LEGACY)
FIGHTEX DAMPER KIT
¥398,000 (1 set) **Type EX**

■ 51540-BG5-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:7K-200•R:5K-200

BH5/BE5 LEGACY

BH5/BE5 (LEGACY)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**

■ 51520-BE5-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:9K-200•R:10K-200

■ Spring rate can be changed at the time of order. (A price is the same) Spring rate kgf/mm (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Damper Price List

Name	model	Type	Part No.			Installation condition			A Type F/R Standard design B Type F Up side down design R Standard design C Type F/R Up side down design				
			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/Upper Mount)	Supplied spring rate	F	R	Note				
SUBARU													
IMPREZA	GC8	FS	¥208,000	51502-GC8-000	¥238,000	51501-GC8-000	¥288,000	51500-GC8-000	10K-200	8K-160	※1	C	
		DA	¥220,000	51522-GC8-000	¥238,000	51521-GC8-000	¥288,000	51520-GC8-000	10K-200	8K-200		C	
		DA-G	¥240,000	51532-GC8-000	¥258,000	51531-GC8-000	¥308,000	51530-GC8-000	9K-200	8K-160		C	
		EX	—	—	—	—	¥398,000	51540-GC8-000	10K-200	8K-200		C	
		EX-G	—	—	—	—	¥398,000	51550-GC8-000	9K-200	8K-160		C	
	GDB	-A/-B	DA	¥220,000	51522-GDB-000	¥238,000	51521-GDB-000	¥288,000	51520-GDB-000	8K-200	5K-200		C
			DA-G	¥240,000	51532-GDB-000	¥258,000	51531-GDB-000	¥308,000	51530-GDB-000	12K-200	9K-200		C
		-C/-D	DA	¥220,000	51522-GDB-100	¥238,000	51521-GDB-100	¥288,000	51520-GDB-000	8K-200	5K-200		C
			DA-G	¥240,000	51532-GDB-100	¥258,000	51531-GDB-100	¥308,000	51530-GDB-000	12K-200	9K-200	※4	C
		-E/-F	DA	¥220,000	51522-GDB-200	¥238,000	51521-GDB-200	¥288,000	51520-GDB-200	8K-200	5K-200		C
-A/-B/-C/-D	DA-G	¥240,000	51532-GDB-200	¥258,000	51531-GDB-200	¥308,000	51530-GDB-200	12K-200	9K-200		C		
	EX	—	—	—	—	¥398,000	51540-GDB-000	8K-200	5K-200		C		
LEGACY	BG5/BD5	FS	¥208,000	51502-BG5-000	¥238,000	51501-BG5-000	¥288,000	51500-BG5-000	7K-200	5K-160	※1	C	
		DA	¥220,000	51522-BG5-000	¥238,000	51521-BG5-000	¥288,000	51520-BG5-000	7K-200	5K-200		C	
		EX	—	—	—	—	¥398,000	51540-BG5-000	7K-200	5K-200		C	
BH5/BE5	DA	EX	¥195,000	51522-BE5-000	¥213,000	51521-BE5-000	¥263,000	51520-BE5-000	9K-200	10K-200		B	

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.

● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided
※1 With helper spring. ※4 When standard rear upper mount is used, 160mm long springs are required.

CD9A/CE9A LANCER

CD9A/CE9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■51500-CE9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-160•R:8K-200

CD9A/CE9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**

■51520-CE9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:8K-200

CD9A/CE9A (LANCER)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**

■51530-CE9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:12K-200•R:10K-200

CD9A/CE9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX**

■51540-CE9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:8K-200

CD9A/CE9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX-G**

■51550-CE9-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:12K-200•R:10K-200

CN9A LANCER

CN9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■51500-CN9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-160•R:8K-160

CN9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**

■51520-CN9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200

CN9A (LANCER)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**

■51530-CN9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CN9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX**

■51540-CN9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200

CN9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX-G**

■51550-CN9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CP9A LANCER

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■51500-CP9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-160

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**



■51520-CP9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200


CP9A (LANCER)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**

■51530-CP9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX**

■51540-CP9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:10K-200•R:8K-200

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX-G**



■51550-CP9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CT9A LANCER

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**


■51520-CT9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CP9A (LANCER)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**

■51530-CT9-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:14K-200•R:12K-200

CZ4A LANCER

CZ4A (LANCER EVO10)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**



■51520-CZ4-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:12K-200•R:10K-200

CZ4A (LANCER EVO10)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**



■51530-CZ4-000
Damper+Spring+Pillow-ball upper mount
Supplied spring rate F:ASK•R:ASK

CJ4A MIRAGE

CJ4A (MIRAGE)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type FS**



■51500-CJ4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-160•R:6K-200

CJ4A (MIRAGE)
FIGHTEX DAMPER KIT
¥263,000 (1 set) **Type DA**

■51520-CJ4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:8K-200•R:6K-200

CJ4A (MIRAGE)
FIGHTEX DAMPER KIT
¥283,000 (1 set) **Type DA-G**

■51530-CJ4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:8K-200

CJ4A (MIRAGE)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX**

■51540-CJ4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:8K-200



CJ4A (MIRAGE)
FIGHTEX DAMPER KIT
¥383,000 (1 set) **Type EX-G**

■51550-CJ4-000
Damper+Spring+Pillow-ball upper mount
Option pillow-ball bush (R ¥10,000)
Supplied spring rate F:10K-200•R:8K-200

Damper Price List
■ Spring rate can be changed at the time of order. (A price is the same) Spring rate kgf/mm (4,5,6,7,8,9,10,11,12,14,16,18,20,22)
■ Damping force can be changed at the time of order. (Additional charge. 20,000 yen~/set)

Name	model	Type	Part No.			Price(Damper only)	Price(Damper + Spring)	Price(Damper+Spring+P/upper Mount)	After the damper P/NO-PBD	Installation condition B Type			
			Part No.	Part No.	Part No.					With pillow-ball bush additional price for 1 SET	Supplied spring rate	Note	
MITSUBISHI													
LANCER	CD9A/CE9A	FS	¥183,000	51502-CE9-000	¥213,000	51501-CE9-000	¥263,000	51500-CE9-000	RY10,000	10K-160	8K-200	※1	B
		DA	¥195,000	51522-CE9-000	¥213,000	51521-CE9-000	¥263,000	51520-CE9-000	RY10,000	10K-200	8K-200		B
		DA-G	¥215,000	51532-CE9-000	¥233,000	51531-CE9-000	¥283,000	51530-CE9-000	RY10,000	12K-200	10K-200		B
		EX	—	—	—	—	¥383,000	51540-CE9-000	RY10,000	10K-200	8K-200		B
		EX-G	—	—	—	—	¥383,000	51550-CE9-000	RY10,000	12K-200	10K-200		B
	CN9A	FS	¥183,000	51502-CN9-000	¥213,000	51501-CN9-000	¥263,000	51500-CN9-000	—	10K-160	8K-160	※1	B
		DA	¥195,000	51522-CN9-000	¥213,000	51521-CN9-000	¥263,000	51520-CN9-000	—	10K-200	8K-200		B
		DA-G	¥215,000	51532-CN9-000	¥233,000	51531-CN9-000	¥283,000	51530-CN9-000	—	12K-200	10K-200		B
		EX	—	—	—	—	¥383,000	51540-CN9-000	—	10K-200	8K-200		B
		EX-G	—	—	—	—	¥383,000	51550-CN9-000	—	12K-200	10K-200		B
	CP9A	FS	¥183,000	51502-CP9-000	¥213,000	51501-CP9-000	¥263,000	51500-CP9-000	—	10K-200	8K-160	※1	B
		DA	¥195,000	51522-CP9-000	¥213,000	51521-CP9-000	¥263,000	51520-CP9-000	—	10K-200	8K-200		B
DA-G		¥215,000	51532-CP9-000	¥233,000	51531-CP9-000	¥283,000	51530-CP9-000	—	12K-200	10K-200		B	
EX		—	—	—	—	¥383,000	51540-CP9-000	—	10K-200	8K-200		B	
EX-G		—	—	—	—	¥383,000	51550-CP9-000	—	12K-200	10K-200		B	
CT9A	DA	¥195,000	51522-CT9-000	¥213,000	51521-CT9-000	¥263,000	51520-CT9-000	—	12K-200	10K-200		B	
	DA-G	¥215,000	51532-CT9-000	¥233,000	51531-CT9-000	¥283,000	51530-CT9-000	—	14K-200	12K-200		B	
CZ4A	DA	¥195,000	51522-CZ4-000	¥213,000	51521-CZ4-000	¥263,000	51520-CZ4-000	—	12K-200	10K-200		B	
	DA-G	¥215,000	51532-CZ4-000	¥233,000	51531-CZ4-000	¥283,000	51530-CZ4-000	—	ASK	ASK		B	
MIRAGE	CJ4A	FS	¥183,000	51502-CJ4-000	¥213,000	51501-CJ4-000	¥263,000	51500-CJ4-000	RY10,000	8K-160	6K-200	※1	B
		DA	¥195,000	51522-CJ4-000	¥213,000	51521-CJ4-000	¥263,000	51520-CJ4-000	RY10,000	8K-200	6K-200		B
		DA-G	¥215,000	51532-CJ4-000	¥233,000	51531-CJ4-000	¥283,000	51530-CJ4-000	RY10,000	10K-200	8K-200		B
		EX	—	—	—	—	¥383,000	51540-CJ4-000	RY10,000	8K-200	6K-200		B
		EX-G	—	—	—	—	¥383,000	51550-CJ4-000	RY10,000	10K-200	8K-200		B

● Damper kit contents : Damper, main spring, helper spring (On certain models only), pillow-ball upper mount (On certain models only), spring upper seat, spring lower seat, lock seat, dust boot, car height adjustment wrench, damping force adjustment wrench, instruction manual.
● Note : Basically Fightex damper is designed to be based on the standard upper mount. When pillow-ball upper mount kits are not available, the spring upper seat for the standard upper mount is provided
※1 With helper spring.



Freedom and Unrestricted settings

■The above graphs show various settings using an identical damper. The different damping characteristics are a product of varying the combinations of the parts shown below.

■Fightex dampers are subjected to simulation damper tests, circuit and gymkhana tests, along with long-term road testing. A special point is made in our street use FS damper series, were a wide range of adjustability in both bump and rebound are included to give the user a wide range of options for different situations.

Final tuning of the damper is carried out in conjunction with a racing driver and our damper test driver were demands for improved performance are balanced with requirements for street use.

■Damping characteristics can readily be changed when either purpose and/or working conditions vary from that of the original specification Fightex damper.

Piston Valve



■Piston valves varying in size and design from 35ø to 46ø. Various damping characteristics can be achieved. (See Graph)

Adjustable Needle Valve



■Over 30 kinds of needle valves varying in shape. Various damping characteristics can be achieved in combination with Jet Bleed Holder. (See Graph) Enabling Twelve step damping.

Jet Bleed Holder




■Jets varying in shape. Along with various needles, the jet is used to give differing damping characteristic, which vary from car to car. (See Graph). Damping ratios vary from the very soft to very hard typically range of 140%-170% above that of the original damper.

Valve Shim Stack




■Shims. A large selection of shims (Over 40 kinds), varying in both diameter and thickness, to give various damping characteristics. (See Graph)

An In-house machining center.
Piston valve production.



An In-house machining center.
Damper bottom bracket.



FIGHTEX® Motor Dream.

Overhaul / specifications change for FIGHTEX dampers.

Fightex dampers can not only be overhauled but also modified to your specific requirements, what ever they may be drivers style, categories, local conditions, etc.


With so many factors making up sports driving one solution can not count as the absolute best solution.

Tuning a damper to each person's personal demands is one shortcut to improved performance on a personal level.

All production is done in house.

Quality is assured as the same staff in who develop new dampers and build production units also do the specification changes and overhaul of your dampers.

With all parts replaceable we can maintain your damper as new.



Price list of overhaul work

At the time of order

Contents of work	Price / per kit	Note
Green Chromate surface treatment	¥4,000 add	Damper style TypeA : F/R Standard design
	¥5,000 add	Damper style TypeB : F Up side down design & R Standard design
	¥6,000 add	Damper style TypeC : F/R Up side down design

Overhaul of customers own damper

Contents of work	Price / per damper	Note
Basic Overhaul	¥12,000	Cleaning, seals and o-rings replaced, oil changed, honing.
Basic Overhaul + damping force changes	¥16,000	Cleaning, seals and o-rings replaced, oil changed, honing + piston valve, shim, needle, jet.
TypeST, EX, EX-G Basic Overhaul	¥20,000	Cleaning, seals and o-rings replaced, oil changed, honing.
TypeST, EX, EX-G Basic Overhaul + damping force changes	¥24,000	Cleaning, seals and o-rings replaced, oil changed, honing + piston valve, shim, needle, jet.
Upside down case overhaul	¥4,800~	Cleaning, bush, seals and o-rings replaced, grease changed.
Short stroke modifications	up to 30mm ¥1,000 above 30mm ¥7,500	Additional parts to suit. Additional machining required.
Short case modifications (Standard Type)	up to 15mm ¥4,000 above 15mm ¥7,500	Additional machining required. Parts replacing required. *Please tell us your required length.
Short case (Chrome plated main body) Additional machining (Upside down Type)	modifications additional machining ¥4,000	Additional machining. *Please tell us your required length.
	cylinder change ¥10,200	Parts replacing required. *Please tell us your required length.
Bottom pillow ball modifications (Standard Type)	large bush ¥11,600 small bush ¥8,900	Damper bottom bracket assembly replaced.
Upside down Type (outer) case replace	¥13,600	Additional parts included.
Body cap assembly replaced.	¥3,900	If we judge the modification requirements to be dangerous we will be unable to proceed.

■ Addition to the overhaul charge. In some case modifications are not possible.

● If we judge the modification requirements to be dangerous we will be unable to proceed.

● We require the customer to remove and keep the spring and the upper mount before sending the damper for overhauling.

● Give as much information as possible when sending the damper for overhaul, for a quick response.

● Extra parts may be required, when overhauling the damper.



FIGHTEX
Motor Dream.

Pillow-Ball Upper Mount /Springs

Optional parts which extend the possibilities of your damper.

Pillow-ball upper mount ¥27,000 / left-right set. (Except for DC5/EP3 rear left-right set ¥48,000) ※3

Car name	Type	Front			Rear		
		Part No.	Type	Note	Part No.	Type	Note
NISSAN	SILVIA/180SX/CEFIRO	S13/PS13/CA31	51675-S14-000	AJ	52675-NR2-000	RG	
	SILVIA	S14	51675-S14-000	AJ	52675-S14-000	RG	
	SILVIA	S15	51675-S14-000	AJ	52675-S14-000	RG	
	SKYLINE GT-S	HCR32	51675-NR3-000	RG	52675-NR2-000	RG	
	SKYLINE GT-R	BNR32	51675-NR3-000	RG	52675-NR2-000	RG	
	SKYLINE GT-S	ECR33	51675-NR3-000	RG	52675-S14-000	RG	
	SKYLINE GT-R	BCNR33	51675-NR3-000	RG	52675-S14-000	RG	
	SKYLINE GT-R	BNR34	51675-NR3-000	RG	52675-S14-000	RG	
	STAGEA	WGNC34	51675-NR3-000	RG	52675-NR2-000	RG	
	MARCH	AK12	51675-K12-000	AJ	-	-	
HONDA	CIVIC/CR-X	EF9/3/7/8	51675-EG6-000	RG	51675-EG6-000	RG	
	CIVIC/CR-X	EG6/2/8/9	51675-EG6-000	RG	51675-EG6-000	RG	
	CIVIC (TypeR)	EK4/9	51675-EG6-000	RG	51675-EG6-000	RG	
	CIVIC (TypeR)	EP3	51675-DC5-000	AJ	52675-DC5-000	RG	※3
	CIVIC (TypeR)	FD2	51675-FD2-000	AJ	-	-	
	INTEGRA (TypeR)	DC2/DB8	51675-EG6-000	RG	51675-EG6-000	RG	
	INTEGRA (TypeR)	DC5	51675-DC5-000	AJ	52675-DC5-000	RG	※3
	ACCORD EuroR	CL1	51675-CL1-000	RG	52675-CL1-000	RG	
	ACCORD EuroR	CL7	51675-CL7-000	RG	52675-CL1-000	RG	
	NSX	NA1/2	51675-NSX-000	RG	51675-NSX-000	RG	
MAZDA	S2000	AP1	51675-EG6-000	RG	51675-EG6-000	RG	
	RX7	FC3S	51675-FC3-000	AJ	52675-FC3-000	RG	
	RX7	FD3S	51675-FD3-000	RG	52675-FD3-000	RG	
	ROADSTER	NA6CE/NA8C	51675-NA6-000	RG	51675-NA6-000	RG	
MITSUBISHI	ROADSTER	NB6C/NB8C	51675-NB6-000	RG	51675-NB6-000	RG	
	ROADSTER	NCEC	51675-NCE-000	RG	-	-	
	ATENZA	GG3S	51675-GG3-000	RG	-	-	
	LANCER	CD9A/CE9A	51675-CD9-000	AJ	52675-CD9-000	RG	
	LANCER	CN9A/CP9A	51675-CN9-000	AJ	52675-CD9-000	RG	
	LANCER	CT9A	51675-CT9-000	AJ	52675-CD9-000	RG	
	LANCER	CZ4A	51675-CZ4-000	AJ	52675-CD9-000	RG	
	MIRAGE	CJ4A	51675-CN9-000	AJ	52675-CD9-000	RG	
	LEVIN/TRUENO	AE92/101/111	51675-AE1-000	AJ	52675-AE1-000	AJ	
	MR2	SW20	51675-SW2-000	AJ	52675-SW2-000	AJ	
TOYOTA	MR2	AW11	51675-AW1-000	AJ	52675-AW1-000	AJ	
	MRS	ZZW30	51675-ZW3-000	AJ	52675-ZW3-000	AJ	
	SOARER/SUPRA	MZ20/MA70/JZA70	51675-A70-000	RG	52675-A70-000	RG	
	MARKII/CHASER/CRESTA	JZX90/91/100	51675-X90-000	RG	52675-X90-000	RG	
	LEVIN/TRUENO	AE86	51675-AE8-000	AJ	-	-	※1
	ALTEZZA	SXE10	51675-X90-000	RG	52675-XE1-000	RG	
	COROLLA FIELDER	ZZE122	51675-ZW3-000	AJ	-	-	
SUBARU	IMPREZA	GC8	51675-GC8-000	AJ	52675-GC8-000	AJ	※1,2
	IMPREZA	GDB/GDA	51675-GDB-000	AJ	52675-BG5-000	AJ	※2
	LEGACY	BG5/BD5	51675-GC8-000	AJ	52675-BG5-000	AJ	※2
	LEGACY	BH5/BE5	51675-GC8-000	AJ	52675-CD9-000	RG	※2


AJ: Camber angle adjustable type. RG: Camber angle fixed type.

Bolt:
High strength chrome molybdenum steel (SCM435), in a long bolt design. Strut tower bars can be secured using these bolts.

Pillow-ball:
The No.1 brand in the world. Pillow-balls manufactured by NMB.

Plate:
Corrosion resistance hard anodized duralumin (A2017) is used to improve rigidity and looks. Plate thickness of 8mm & 12mm, surpasses that of other companies.

Camber adjustment plate:
With the adjustment mark.



- Fichtex pillow upper mount does not have spring upper seat. When required it, please purchase separately. If you install Fichtex pillow upper mount to other coilovers, please confirm size or specification when ordering.
- Fichtex damper upper seats are designed for ID60 straight springs. ID60 springs are standard fitment on Fichtex dampers. (Full set purchase).
- *1 Can be used with standard springs. Please contact us, as a different collar is required.
- *2 The top thread of the damper can be either M14 or M12. The Fichtex damper and Fichtex pillow upper use a M14 nut. Please contact us in the case a M12 pillow-nut is require, so that modifications can be made. Unless stated M14 nuts are provided.
- *3 The pillow upper mount is designed to directly locate the ID60 spring. Ride height will not change if replaced with standard upper mount, as the dimensions are the same. (Price 48,000 yen/right and left set)

FIGHTEX DAMPER KIT Optional Pillow-Ball BUSH (F/R)



A pillow-ball (manufactured by NMB) bush can replace the bottom rubber bush. This improves the damper performance through a reduction in compliance.
* Additional change of ¥10,000 ~ ¥32,000 at the time of ordering the damper.

ID70 springs 140 ¥6,000 /spring

Free height	φ70	
	Rate (kgf/mm)	stroke (mm) part No
6.0	95	51401-140-70-060
8.0	96	51401-140-70-080
10.0	88	51401-140-70-100
12.0	79	51401-140-70-120
14.0	77	51401-140-70-140

ID75springs 160 or 180 ¥6,000 /spring

Free height	φ75	
	Rate (kgf/mm)	stroke (mm) part No
4.0	101	51401-160-75-040
5.0	101	51401-160-75-050
6.0	99	51401-160-75-060
12.0	93	51401-160-75-120
Free height 180mm		
12.0	93	51401-180-75-120

ID60 springs 200 or 160 ¥6,000 /spring



- Minimum Windings** ■ We use as few windings as possible, this helps to give the spring a greater consistence over its working rang so helping to improve the overall springing and damping of the Fichtex suspended car. But this is not at the expense of durability, either. There are very strict conditions set in both precision and safety, as well as a thought towards cost. But the main priority is given to precision and safety. We have there for worked in conjunction with the top spring manufacture in Japan to give you the FIGHTEX spring.
- Shot Peening** ■ To increase residual stress found in a spring a shot peening process is given to the spring surface layer, improving durability.
- Powder Coating** ■ Excellent powder coating gives the spring an anti-weather coat.
- Settling Program** ■ Once a spring has been manufactured it requires a settling in period, all our springs come with having had a settling program. This enables the car ride height to be set up with confidence from day one.
- High Precision** ■ An important point of a straight winded spring. For the whole base of the spring to be positioned correctly, the base of the spring is manufactured in such away that the spring may transfer the loads uniformly about the spring base.


Free height	φ60	
	Rate (kgf/mm)	stroke (mm) part No.
4.0	133	51401-200-040
5.0	129	51401-200-050
6.0	126	51401-200-060
7.0	121	51401-200-070
8.0	119	51401-200-080
9.0	116	51401-200-090
10.0	115	51401-200-100
11.0	114	51401-200-110
12.0	109	51401-200-120
14.0	107	51401-200-140
16.0	102	51401-200-160
18.0	98	51401-200-180
20.0	96	51401-200-200
22.0	93	51401-200-220



Helper Springs
■ 51401-100-020
1K-t=100~27
¥12,000 (with helper seats)



Spring Upper Seat (Many varieties)
■ 51686-000-□□□
¥3,500/each ※Be sure to confirm car type.
ID60 (φ10, φ12)



Dust Boot (with boot-band)
■ 51687-000-000
¥2,000/each (Standard equipment for proper standing)




Height adjustment wrench
■ 8320-000-000
¥4,600 (Two wrenches, one set)



Spacer ID60 40mm
■ 51410-060-040
¥4,000/each



Seat attachment
■ 51411-000-070
¥3,000/each
ID60→ID70 (Two required per spring top & bottom)




Seat lock
■ 51413-000-048
■ 51413-000-052
■ 51413-000-056
¥2,600/each




Bracket lock seat
■ 51414-000-048 ¥3,000/each
■ 51414-000-052-1 ¥3,000/each
■ 51412-000-048-70 ¥3,000/each (For FD2/AK12)
■ 51414-000-052-2 ¥4,000/each
■ 51414-000-056 ¥4,000/each



Damping force adjustment driver
■ 99003-000-000
¥240/each



A damping force adjustment cover for the upside down dampers
■ 51623-000-000
¥1,200/each



The bottom pillow-bush (only pillow-ball)
■ 51622-001-000 Small ¥3,900/each
■ 51622-001-001 Large ¥6,600/each



Rubber Bush (Various)
■ 51622-000-□□□ (FIGHTEX only) ¥2,000/each



Pillow-ball (For pillow upper mount)
■ 51631-000-000 ¥4,800/each
Pillow-ball (For pillow upper mount)